




Your Personal Cloud Storage & Smart Powerbanks

2017 PRODUCT CATALOG **SPRING**



SMART HOME | WIRELESS STORAGE | SMART CHARGERS & AUDIOS | MFI & TYPE-C | ENCLOSURES





COMPANY PROFILE

Power 7 Technology designs and manufactures complex external and wireless storage , mobile power devices, and peripheral solutions for various computer and mobile OS platforms. We are recognized worldwide for our excellence in technology, creativity, innovation in design, quality and services we offer. Our experience of 20 years in OEM/ODM and Electronics Manufacturing Services (EMS) has solid track records. We maintain long-standing relationships with numerous world-class and local companies that are not only depending on our expertise and services but also value us as their partners!

COMPANY VISION

To design, manufacture and deliver quality products & solution to our customer fast and superior to our competitors.

To become partner of choice by ongoing quest for excellence.

To accept projects that are within our capabilities and concentrate on the once we excel in.

COMPANY PHILOSOPHY

Competitive Element

Heavy investment in Research and Development creates competitive advantages.

Three principals guide the engineering & production practices:

QUALITY, QUALITY and QUALITY. This is our strongest competitive advantage!

Creative Element


We believe that Knowledge, Experience and Imagination go hand in hand and stimulate creativity in developing feature product.

Accountability Element

We take pride in our diligence and we stand behind our products and services.

CONTENTS

ALEXA SMART HOME	01
SMART STORAGE PRODUCTS	04
WIRELESS STORAGE PRODUCTS	12
POWERLINE	19
SMART CHARGER PRODUCTS	20
WIRELESS CHARGER PRODUCTS	32
USB-C ADAPTER	33
2.5" / 3.5" SSD/HDD ENCLOSURE PRODUCTS	39



ALEXA SMART HOME

Always Ready, Wi-Fi Connected, Voice Control



JOY DUO

WiFi Alexa + HiFi Bluetooth Speaker

Part# P7-IV46-JOY-WFBT

JOY DOT

- Dimensions: 56mm(H) x 90mm(D) (JOY DOT)
- Far -Field speech recognition, MICs Array support up to 5m distance /360-degree direction speech recognition for Alexa Voice
- 2W voice speaker for Alexa Voice communication;
- Wi-Fi Smart CONNECTIVITY, Support 802.11b/g/n 2.4Ghz, support Spotify Connect, TuneIn Radio, TIDAL, Amazon prime music, iHeartRadio, AirPlay and DLNA and so on
- Smart Voice communication, Answers questions, reads audiobooks and the news, report traffic and weather, gives info on local businesses, provides sports scores and schedules, and more using the Alexa Voice
- Smart home Voice control, controls lights, switches and thermostats and so on, compatible with WeMo, Philips Hue, Samsung smart Things, Wink, Insteon, Nest and ecobee smart home devices.
- Easy to set up, The easier way to set up your wireless speaker just by one button
- 5V/1.5A micro USB power input support 7x 24 working;
- Stereo/ auto detection AUX Out port for connecting with external speaker
- Specified Pogo Pin support auto Combine with "JOY SOUND " Together

JOY SOUND

- Dimensions: 161mm(H) x 100mm(D) (JOY SOUND)
- Bluetooth-enabled. Support BT4.0. 15 Meters Bluetooth transmission distance, support A2DP Streaming music, hand-free (HFP), hand set (HSP) function
- 10W Speaker inside
- AUX IN. 3.5mm line-in jack for playing MP3 and other audio devices
- Long Battery Life. 19.24W battery inside, playing over 16 hours
- Specified Pogo Pin support auto Combine with "JOY DOT" Together
- Easy to set up. The easier way to set up your wireless speaker just by one button

Battery life subject to normal usage conditions.

Product specifications subject to change without notice. Product images may not look identical to the actual products.



HARMONYPRO NEAR FIELD

Part# P7-SPK-TC01-WFBT-WH

- Dimensions: 178mm(H) x 82mm(D)
- 7Wx2 stereo 360 degrees sound. Speakers line all four sides of the speaker body to fill the room with clear highs, bassy lows, and all-around premium audio. Each speaker is tilted upward to put everyone right in the sweet spot(Near-Field);
5Wx2 dual voice coil speaker x1. Bass strong, Sound fruity (Far-Field)
- Far -Field speech recognition. MICs Array support up to 5m distance /360-degree direction speech recognition for Alexa Voice
- Wi-Fi Smart CONNECTIVITY. Support 802.11b/g/n 2.4Ghz (Far-Field: up to 50m distance), support Spotify Connect, Spotify Connect,TuneIn Radio, TIDAL, Amazon prime, iHeartRadio, AirPlay and DLNA
- Bluetooth-enabled.
Support BT4.0, 15 Meters Bluetooth transmission distance, support A2DP Streaming music, (Near-Field: hand-free (HFP), hand set (HSP) function)
- Smart Voice communication. Answers questions, reads audiobooks and the news, report traffic and weather, gives info on local businesses, provides sports scores and schedules, and more using the Alexa Voice.
- Smart home Voice control. Controls lights, switches and thermostats and so on, compatible with WeMo, Philips Hue,Samsung smart Things,Wink, Insteon,Nest and ecobee smart home devices.
- Easy to set up. The easier way to set up your wireless speaker just by one button.
- AUX IN. 3.5mm line-in jack for playing MP3 and other audio devices
- Long Battery Life. 24.79W battery inside, Near-Field playing over 9 hours,Far-Field playing over 12 hours.

HARMONYPRO FAR FIELD

Part# P7-IV46-HAR-WFBT

Battery life subject to normal usage conditions.

Product specifications subject to change without notice. Product images many not look identical to the actual products.



SMART STORAGE

Increase Storage on Your Smart Devices



TRANSFORMER U

Part#: P7-U43-TRAU

- Dimensions: 43.3mm(L)x36.2mm(W)x126mm(H)
- Built-in SD card slot to support SD/SDHC/SDXC memory cards up to 256GB; support computer/android&iOS device accessing(through APP)
- Built-in USB A DATA port supporting Phone connected for data accessing and charging smart phone up to 5V/0.5A simultaneously
- Available mobile APP for iOS/android , supporting copy, delete, upload, and search function on locate and device memory; steaming media and PHONE AUTOBACKUP
- Bulid-in USB A Power port support output upto 2.1A/1A(Power off/on mode)
- 6700mAh 18650 battery cell built-in
- AC adapter : USB 5V/2.4A output, with Pogo Pin to connect and charge to the main part
- Micro USB port for charging upto 1.5A, connecting computer for SD card reader



CORAL U

Part# P7-U43-CORU

- Dimensions: 82mm(L)x82mm(W)x28mm(H)
- Built-in micro SD card slot to support SD/SDHC/SDXC memory cards up to 256GB; support android&iOS device accessing(through APP)
- Built-in USB A DATA port supporting Phone connected for data accessing and charging smart phone up to 5V/0.5A simultaneously
- Available mobile APP for iOS/android , supporting copy, delete, upload, and search function on locate and device memory; steaming media and PHONE AUTOBACKUP
- Bulid-in USB A port x2 support output upto total 4.8A/2.9A (Power off/on mode)
- 5200mAh 18650 battery cell built-in
- AC adapter : USB 8.4V/1A output to charge the device



FANSHION U COMBI U

Part#: P7-U42-FAN-SD-SL

Part#: P7-U42-COM-SD-SL

- Dimensions: 142mm(L) X 71mm(W) x 11mm(H)(FASHION U)
118mm(L) X 79mm(W) x 14mm(H)(COMBI U)
- Built-in SD card slot to support SD/SDHC/SDXC memory cards up to 256GB; support computer/ android&iOS device accessing(through APP)
- Built-in USB A DATA port supporting Phone connected for data accessing and charging smart phone up to 5V/0.5A simultaneously; Output upto 2.4A in Power off mode
- Available mobile APP for iOS/android , supporting copy, delete, upload, and search function on locate and device memory; steaming media and phone autobackup
- 5000mAh battery cell built-in (FASHION U)
4000mAh battery cell built-in (COMBI U)
- Micro USB port for charging upto 1.35A, connecting computer for SD card reader

U-DOCKING

Part# P7-U42-DOCKING

- Dimensions: 54.5mm(L)x14.2mm(W)x7.8mm(H)
- Built-in SD card slot to support SD/SDHC/SDXC memory cards up to 256GB
- Build-in USB1 A port supporting USB storage device plug ; output up-to 2.4A for charging
- Built-in USB2 A port supporting Phone connected for accessing SD/USB A data and charging smart phone up to 5V/1.5A simultaneously
- Available mobile APP for iOS/android , supporting copy, delete, upload, and search function on locate and device memory; steaming media and PHONE AUTOBACKUP;
- DC input : 5V/4.5A



SNAKE

Part#:P7-IS26-SNA-BK

- Dimensions: 163mm(L) X 20mm(W) x12mm(H)(SNAKE)
110mm(L) X 12.2mm(W) x8mm(H)(SNAKE II)
- Interface: Lightning and USB 3.0 Connectors, using one connector at a time with iPhone, iPad, PC and Mac computers
- Free Up iPhone/iPad Memory, up to 2TB, so you never need to worry about being out of memory
- Support FAT32 and ExFAT file systems
- Makes file transfer easy between an iPhone, iPad and computers, Lightning and USB Connectors make it a snap to move pictures and videos between devices
- Backup and recover your data



SNAKE II

Part#:P7-IS26-MSNA-BK

- Supported image format: bmp,gif,jpg,tif,png.
- Supported common music/video format will vary depending on the installed app.
- Supported document format: doc,docx,ppt, pptx,xls,xlsx,key,numbers,pages,pdf,html,txt,rtf.
- Supports contact list backup and recovery
- Compatible with Apple iPhone and iPad, so you can instantly expand your device's storage capacity
- PC/ Mac computer compatibility: Windows Vista®, Windows 7, Windows 8, Mac OS X v10.6+
- Supports iPhone and iPad charging

Made for
iPhone iPad





EIFFEL

Part# P7-IS26-EIF-BK

- Dimensions: 53.5mm(L)x12.2mm(W)x7.4mm(H) (EIFFEL)
53.2 mm(L) X 17.8mm(W)x6.7mm(H) (ROBOT)
54.9mm(L) X 14.2mm(W) x 7.9mm(H) (DART)
- Interface: Lightning and USB 3.0 Connectors, using one connector at a time with iPhone, iPad, PC and Mac computers
- Support FAT32 and ExFAT file systems
- Makes file transfer easy between an iPhone, iPad and computers, Lightning and USB Connectors make it a snap to move pictures and videos between devices
- Supported image format: bmp,gif,jpg,tif,png

ROBOT

Part#:P7-IS26-ROB-NOR-NK

DART

Part#:P7-IS26-DAR-NOR

- Supported common music/video format will vary depending on the installed app.
- Supported document type: doc,docx,ppt,pptx, xls,xlsx,key,numbers,pages,pdf,html,txt,rtf
- Supports contact list backup and recovery
- Compatible with Apple iPhone and iPad Including iPhone 5 and newer models and iPad Air, iPad with Retina, iPad mini and iPad mini 2 and newer models, so you can instantly expand your device's storage capacity
- PC/ Mac computer compatibility:
Windows Vista®, Windows 7, Windows 8, Windows 8.1, Mac OS v10.6+





P2

Part#:P7-IS26-P2-NOR

- Dimensions: 54.5mm(L)x14.2mm(W)x7.8mm(H) (P2)
60.3 mm(L) X 18mm(W)x8.8mm(H) (C2)
54 mm(L) X 12.2mm(W) x 7.6mm(H) (D2)
- Interface: Lightning and USB 3.0 Connectors, using one connector at a time with iPhone, iPad, PC and Mac computers
- Support FAT32 and ExFAT file systems
- Makes file transfer easy between an iPhone, iPad and computers, Lightning and USB Connectors make it a snap to move pictures and videos between devices
- Supported image format: bmp,gif,jpg,tif,png



C2

Part#:P7-IS26-C2-NOR



D2

Part#:P7-IS26-D2-NOR

- Supported common music/video format will vary depending on the installed app
- Supported document type: doc,docx,ppt,pptx,xls,xlsx,key,numbers,pages,pdf,html,txt,rtf
- Supports contact list backup and recovery
- Compatible with Apple iPhone and iPad Including iPhone 5 and newer models and iPad Air, iPad with Retina, iPad mini and iPad mini 2 and newer models, so you can instantly expand your device's storage capacity
- PC/ Mac computer compatibility: Windows Vista®, Windows 7, Windows 8, Windows 8.1, Mac OS v10.6+





Made for
 iPhone iPad



SHRIMP II s

Part#:P7-IS26-SHR-NOR-RD

- Dimensions: 62.5mm(L) X 20mm(W) x 8.5mm(H) (Shrimp II s)
 62.5mm(L) X 20mm(W) x 8mm(H) (Bamboo II)
 44mm(L) X 20mm(W) x 8mm(H) (S-SOCKET)
- Interface: Lightning and USB 3.0 Connectors, using one connector at a time with iPhone, iPad, PC and Mac computers
- Support FAT32 and ExFAT file systems
- Makes file transfer easy between an iPhone, iPad and computers, Lightning and USB Connectors make it a snap to move pictures and videos between devices
- Supported image format: bmp,gif,jpg,tif,png

BAMBOO II

Part#:P7-IS26-BAM-NOR-SIL

S-SOCKET

Part#:P7-IS26-SOC

- Supported common music/video format will vary depending on the installed app
- Supported document type: doc,docx,ppt,pptx, xls,xlsx,key,numbers,pages,pdf,html,txt,rtf.
- Supports contact list backup and recovery
- Compatible with Apple iPhone and iPad Including iPhone 5 and newer models and iPad Air, iPad with Retina, iPad mini and iPad mini 2 and newer models, so you can instantly expand your device's storage capacity
- PC/ Mac computer compatibility:
 Windows Vista®, Windows 7, Windows 8, Windows 8.1, Mac OS v10.6+





iHDD

Part#: P7-iHDD

- Dimensions: 143mm(L)x80mm(W)x15mm(H)
- Interface: Lightning and USB 3.0 Connectors, using one connector at a time with iPhone, iPad, PC and Mac computers
- Free Up iPhone/iPad Memory, up to 2TB, so you never need to worry about being out of memory
- Support FAT32 and ExFAT file systems
- Makes file transfer easy between an iPhone, iPad and computers
- Lightning and USB Connectors make it a snap to move pictures and videos between devices
- Internal 2.5" HDD, Backup and recover your data
- Supported image format: bmp,gif,jpg,tif,png.
- Supported common music/video format will vary depending on the installed app.
- Supported document format: doc,docx,ppt, pptx,xls,xlsx,key,numbers,pages,pdf,html,txt,rtf.
- Supports contact list backup and recovery
- Compatible with Apple iPhone and iPad, so you can instantly expand your device's storage capacity
- PC/ Mac computer compatibility: Windows Vista®, Windows 7, Windows 8, Mac OS X v10.6+
- Supports iPhone and iPad charging
- Lightning output 5V/2.1A

Product specifications subject to change without notice. Product images may not look identical to the actual products.

Made for
 iPhone  iPad



SD SLOT

iDOCKING

Part#: P7-IDICKING

- Dimensions: 89mm(L)x89mm(W)x40mm(H)
- Supported image format: bmp,gif,jpg,tif,png.
- Supported common music/video format will vary depending on the installed app.
- Supported document format: doc,docx,ppt, pptx,xls,xlsx,key,numbers,pages,pdf,html,txt,rtf.
- Supports contact list backup and recovery
- Compatible with Apple iPhone and iPad, so you can instantly expand your device's storage capacity
- PC/ Mac computer compatibility: Windows Vista®, Windows 7, Windows 8, Mac OS X v10.6+
- Supports iPhone and iPad charging
- Built-in SD slot, supports SD, SDHC,SDXC
- Lightning output 5V/2.1A



WIRELESS STORAGE With Internet Access Capability

Works with Mac / Windows / Linux / Android and iOS devices



Support simultaneous connections for sharing videos, music, photos and documents



Built-in battery cells for maximum portability



Available Client and System Manager App



User-friendly interface and easy to operate. Power-on, key-in password to gain access.



iTOWER: VADER

Part# :P7-WF17-VAD

- Dimensions: 133mm x 51mm x 153mm
- Built-in SuperSpeed USB 3.0 Port to support USB Mass Store Devices / Smart Phone backup
- High speed SD Slot for SD/SDHC/SDXC memory cards backup, speed up to 10 MB/s;
- Micro USB 3.0 port for DAS mode
- One-touch backup function available support USB 2.0 and SD slot port.
- Background backup your smart phone photo/video to the device through Wi-Fi router
- RJ45 port for network accessing, read speed up to 11.5MB/s
- Built-in 3.5" SATA hard disk drive support up to 8TB capacity
- Standard supports Samba, WebDAV, UPNP, DLNA Server and Airplay(iOS Only) accessing your media from PC /TV box/Game box/smart phone(tablet)
- Available mobile client app with copy, delete, upload, and search function to
- locate and access files/ media streaming
- Backup in Privacy mode, only available by owner



TRANSFORMER II

Part# :P7-WF17-TRA

- Dimensions: 43.3mm x 36.2mm x 126mm
- Supports DLNA, Samba, WebDAV protocol, up to 5 computers (window/MAC), smart TV/TV boxes and smart phone(android/iOS) devices to access at same time
- Available mobile app, supporting copy, delete, upload, and search function to locate /access files, streaming media to any device
- Built-in SD card slot to support SD/SDHC/SDXC memory cards up to 128GB;
- Built-in USB A port supporting USB Mass Storage for sharing contents, also for charging smart phone up to 5V/2.4A
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds up to 150Mbps
- 6700mAh 18650 battery cell built-in, up to 25 hours of continuous battery life
- AC adapter : USB 5V/2.4A output, with Pogo Pin to connect and charge to the main part

Battery life subject to normal usage conditions.

Product specifications subject to change without notice. Product images may not look identical to the actual products.



SEASONBOX

Part# ISE-WIFI-S25OUN-7620

- Dimension:128mm x 80mm x 20mm
- Supports 2.5" SATA HDD up to 9.5mm
- Built-in USB 3.0 port for super-speed data transfer and access
- Home Router function with 1-Port WAN, supports PPPOE, Static/Dynamic IP Address
- 5V/2A USB DC input
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds, up to 300Mbps and works as an Access Point
- Supports Samba, WebDAV, DLNA Server and Airplay(iOS Only)
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- Available mobile client app with copy, delete and upload features



VICTOR II

Part# VIC-WiFi-S25OUN-7620

- Dimension:127.7mm (L) X 80mm (W) X 25mm (H)
- Stream media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- 3000mAh battery cell built-in, up to 5 hours of continuous battery life
- Available mobile client app with copy, delete, upload, and search function to locate and access files much faster
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds, up to 300Mbps and works as an Access Point
- Supports 2.5" SATA Hard Disk Drives. HDD spins down after 5 minutes of no data transfer or activity
- Built-in USB 3.0 port for super-speed data transfer and access. Backward compatible with USB 2.0

Battery life subject to normal usage conditions.

Product specifications subject to change without notice. Product images may not look identical to the actual products.



CURIOSITY II_s

Part# CUR-WIFISD-S250UN

- Dimensions: 130mm (L) X 83.5mm (W) X 25mm (H)
- Streams media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- 3000mAh battery, up to 5 hours of continuous battery life
- Available mobile client app with copy, delete, upload, and search function to locate and access files much faster
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds, up to 300Mbps and works as an Access Point
- Supports 2.5" SATA Hard Disk Drives. HDD spins down after 5 minutes of no data transfer or activity
- Built-in SD slot, supports SD, SDHC,SDXC, up to 2TB; supports One-touch Backup to HDD
- Built-in USB 3.0 port for super-speed data transfer and access
Backwardcompatible with USB 2.0
- Built-in USB-A port for charging USB powered devices for emergency use

STORM II_s

Part# STO-WiFISD-S250UN



SPARROW

Part# SPA-WiFi-USB

- Dimensions: 96mm X 44mm (W) X 28mm (H) (sparrow)
103mm (L) X 45.5mm (W) X 28mm (H) (parakeet)
- Stream media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- 5200mAh 18650 battery cell built-in, up to 20 hours of continuous battery life
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds, up to 300Mbps and works as an Access Point
- Available mobile client app with copy, delete, upload, and search function to locate and access files much faster
- Built-in USB A port supporting USB Mass Storage for sharing contents and for charging USB Powered device for emergency use only

PARAKEET

Part# PAR-WiFi-USB

Battery life subject to normal usage conditions.

Product specifications subject to change without notice. Product images may not look identical to the actual products.



WHALE

Part# UHA-WiFi-S350UN

- Supports 3.5" SATA HDD up to 3TB capacity
- Stream media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds, up to 300Mbps and works as an Access Point
- Available mobile client app with copy, delete, upload, and search function to locate and access files much faster
- Supports Samba and WebDAV
- Built-in USB 3.0 port for super-speed data transfer and access. Backward compatible with USB 2.0
- DC input: 12V/2A



BISCUIT II

Part# BIS-WiFi-D24U-7620

- Dimensions: 98mm (L) X 72mm (W) X 16mm
- Stream media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- 2600mAh battery cell built-in, up to 8 hours of continuous battery life
- Built-in SD card reader to support SD, SDHC, SDXC memory cards microSD and miniSD adapter required
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds, up to 300Mbps and works as an Access Point
- Available mobile client app with copy, delete, upload, and search function to locate and access files much faster
- Built-in USB A port to support External USB Mass Storage and charging USB power devices for emergency use
- Built-in micro USB for charging the internal battery and data sync function

Battery life subject to normal usage conditions.

Product specifications subject to change without notice. Product images may not look identical to the actual products.



CORAL II

Part# PR700-WiFi-USB-AC

- Dimensions: 82mm (L) X 82mm (W) X 28mm (H)
- Stream media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- 5200mAh 18650 battery cell built-in, upto 20 hours of battery life
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds, up to 300Mbps and works as an Access Point
- Available mobile client app with copy, delete, upload, and search function to locate and access files much faster
- Built-in AC Plug and microUSB port to charge the internal battery
- Built-in Two USB ports: supporting USB Mass Storage for sharing contents and for charging USB Powered device for emergency use only



AIRPOCKET

Part# AIR-WiFi-D11U

- Dimensions: 73mm (L) X 26mm (W) X 9.6mm (H);
- Stream media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- Built-in microSD card reader to support microSD, microSDHC and microSDXC memory cards
- Wireless internet pass-through connection, supporting 802.11 b/g/n speeds and works as an Access Point
- Available mobile client app with copy, delete, upload, and search function to locate and access the files much faster
- Functions as a USB Card Reader or Wireless Card Reader

Battery life subject to normal usage conditions.

Product specifications subject to change without notice. Product images may not look identical to the actual products.



CAMPER

Part# CAM-WiFi-USB

- Dimensions: 56mm (L) X 51mm (W) X 15mm (H)
- Stream media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- Built-in USB A port to support USB Mass Storage for file sharing
- Wireless or Wired (RJ45) internet pass-through connection, supporting 802.11 b/g/n speeds and works as an Access Point
- Available mobile client app with copy, delete, upload, and search function to locate and access files much faster
- Built-in micro USB port for power input



SABLE

Part# SAB-WiFi-USB

- Dimensions: 50mm (L) X 30mm (W) X 10mm (H)(SABLE)
50mm (L) X 42mm (W) X 12mm (H)(MANTARAY)
- Stream media over wireless enabled devices up to 5 users simultaneously
- Supports various personal computer and mobile operating systems to access and stream music, videos, photos and documents
- Built-in USB A port to support USB Mass Storage for file sharing
- Wireless internet pass-through connection, supporting 802.11 b/g/n speeds and works as an Access Point
- Available mobile client app with copy, delete, upload, and search function to locate and access files much faster
- Built-in USB Connector for Power Only

MANTARAY

Part# MTR-WiFi-USB

Battery life subject to normal usage conditions.

Product specifications subject to change without notice. Product images may not look identical to the actual products.



L-SATELLITE / L-SATELLITE +

P7-PL35A-SLA-1R-BK-US

P7-PL35A-SLA-1R-BK-EU

P7-PL35A-SLP-2R-BK-EU

P7-PL35A-SLP-2R-BK-US

PLC Adapter device

- Transmits network signal via AC Power Line.
- Supported Standard: HomePlug AV, IEEE802.3, IEEE802.3u; Power Line transfer speed up to 500Mbps,
- One PLC adapter can support up to maximum 7 PLC extender
- One-button pairing function
- 300-meter range over Power Line for better performance through walls and floors
- 128bit AES Network Signal Encryption

PLC Extender device

- Transmits network signal via AC Power Line.
- Supported Standard: HomePlug AV, IEEE802.3, IEEE802.3u; Power Line transfer speed up to 500Mbps,
- One PLC adapter can support up to maximum 7 PLC extender
- One-button pairing function
- 300-meter range over Power Line for better performance through walls and floors
- 128bit AES Network Signal Encryption
- Built-in Wi-Fi, supports 802.11 b/g/n, 2T2R 300Mbps
- Web based UI for easy setup and configuration
- 2x 10/100M LAN port supporting TV/gaming box connection



The portable Smart Charger provides you with safe and reliable power, so you'll never be left without a charge!

MFi 6.4 Contract Manufacturer

Connectors and Authentication IC are Apple proprietary components



PORTABLE SMART CHARGER

For Most Smartphones and USB Powered Devices

Built in Multi-Layer Battery Protection:

OCP: Over Current Protection

OPP: Over Power Protection

OVP: Over Voltage Protection

SCP: Short Circuit Protection

OTP: Over Temperature Protection



Maximum Portability

Tangle-free built-in Lightning and Micro USB cables.



Lightning connector

A Lightning connector is conveniently built-in to accommodate charging for iPhone, iPod, and iPad



Micro USB Connector

Features a Micro USB charging and data sync cable to support most smartphones and tablets.



USB A Port

Additional charging port for any USB powered devices.



T-REX AC INVERTER

Part# P7-PD-T-REX268-US2P-RD

Part# P7-PD-T-REX268-US3P-RD

Part# 7-PD-T-REX268-EU-GN

- Dimension: 175mm (L) X 112mm (W) X 35mm (H)
- 26800mAh 18650 Li-ion Battery
- Input: 2A @ 5VDC (Micro USB)
- Output: 2.4A @ 5VDC (USB-A1), 2.4A @ 5VDC (USB-A2), 100W max @ 110/220VAC
- 4 LEDs for Battery Status with a Multifunction Button (LED display optional)
- 1 LED for AC output indication
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Adaptive charging output for maximum compatibility
- Auto On/Off Features for convenient usage and energy saving
- Ideal for long flights or anytime your device might run out of power

Product specifications subject to change without notice. Product images may not look identical to the actual products.



TRAVELLER100 SERIES

Part# P7-TL100

- Dimensions: 137mm (L) X 58mm (W) X 28mm (H)
- 10050mAh 18650 Li-Ion Battery Cells
- Input: Multi-voltage AC 100-240V / 0.3A; Micro USB 2A @ 5V DC
- Outputs:
 - USB-A1 = 2.1A @ 5V DC, USB-A2 = 2.4A @ 5V DC (P7-TL100-M2AB)
 - USB-A1 = 2.4A @ 5V DC, USB-A2 = QC 3.0 15W (P7-TL100-QCAB)
 - USB-A1 = 2.1A @ 5V DC, USB-A2 = 2.4A @ 5V DC Shared (USB-A2, USB Type-C) (P7-TL100-C2AB)
- 4 LEDs for Battery Status with a multi-function button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Auto On/Off features for convenient usage and energy savings
- Support most devices with USB charging port
- Ideal for long flights or anytime your devices might run out of power



SLING134 SERIES

Part# P7-SL134

- Dimensions: 141mm (L) X 60mm (W) X 22mm (H)
- 13400mAh 18650 Li-Ion Battery Cells
- Input: MicroUSB 2A @ 5V DC
- Outputs:
 - MicroUSB Version
 - 2 USB-A ports Shared 2.1A @ 5V DC, 2.4A @ 5V DC Fixed MicroUSB Connector
 - Lightning Version
 - 2 USB-A ports Shared 2.1A @ 5V DC, 2.4A @ 5V DC Fixed Apple Lightning Connector
- 4 LEDs for Battery Status with a multi-function button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Auto On/Off features for convenient usage and energy savings
- Support most devices with USB charging port





PROSLIM60/100/200 SERIES

Part # P7-PD-PSM-P60-C-DR

Part # P7-PD-PSM-P60-PL

Part # P7-PD-PSM-P60-Q-SL



2×USB-A

USB-A+USB Type-C

USB-A/QC3.0

- Dimensions: 143mm (L) X 68mm (W) X 11mm (H) (60) 143mm (L) X 70mm (W) X 16mm (H) (100) 165mm (L) X 72mm (W) X 24mm (H) (200)
- 6000mAh / 10000mAh / 20000mAh Li-Polymer Battery Cell
- Input: MicroUSB 5V/2A @ 5V DC
- Outputs:
 - 6000mAh: 3A @ 5V DC Shared (USB-A, USB Type-C) - (P7-PD-PSM-P60-C-DR)
3A @ 5V DC Shared (USB-A1, USB-A2) - (P7-PD-PSM-P60-PL)
QC 3.0 15W (USB-A) - (P7-PD-PSM-P60-Q-SL)
 - 10000mAh: 4.8A @ 5V DC Shared (USB-A1, USB-A2)
 - 20000mAh: Max output: 5.8A/5V , USB A1=2.4A, USB A2=2.4A, USB A3=2.4A, (USB A2+USB A3 total Shared 3.4A)
- 4 LEDs for Battery Status with a multi-function button (LED display optional)
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Auto On/Off features for convenient usage and energy savings
- Support most devices with USB charging port

Product specifications subject to change without notice. Product images may not look identical to the actual products.



HEXAGON134C

Part# P7-HEX134-C

- Dimensions: 126mm (L) X 80mm (W) X 22mm (H) (TOR)
108mm (L) X 78mm (W) X 25mm (H) (HEX)
108mm (L) X 80mm (W) X 22mm (H) (DYN)
- 16750mAh/13400mAh 18650 Type Battery Cells
- Input: 2A @ 5VDC (Micro USB, USB Type-C)
- Output: 3A Max @ 5VDC (USB Type-C)
QC3.0, 15W (USB-A)
- 4 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Auto On/Off features for convenient usage and energy saving
- Supports most USB charging sources
- Ideal for long flights or anytime your device might run out of power

DYNA134C

Part# P7-DNY134-C

TORK167C

Part# P7-TOR-C

- Dimensions: 126mm (L) X 80mm (W) X 22mm (H)
- Available in 16750mAh 18650 Battery Cells
- Input: Up to 2A @ 5VDC (Micro USB)
Output: 2.1A @ 5VDC (USB-A1)
2.4A @ 5VDC (USB-A2)
- 4 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Adaptive Charging Output for maximum compatibility
- Auto On/Off Features for convenient usage and energy saving
- Supports most USB charging sources
- Ideal for long flights or anytime your device might run out of power

TORK167

Part# P7-TOR



HEXAGON II 26/52/104

Part# P7-HEX2-26

Part# P7-HEX2-52

Part#P7-HEX2-104

- Dimensions: 70mm (L) X 33mm (W) X 23mm (H)
93mm (L) X 43mm (W) X 23mm (H)
108mm (L) X 78mm (W) X 25mm (H)
- Available in 3350mAh, 6700mAh, 13400mAh 18650 Battery Cells
- P7-HEX-26/52: Input: 1A @ 5VDC (Micro USB)
Output: 1A @ 5VDC (USB-A)
- P7-HEX-104: Input: Up to 2A @ 5VDC (Micro USB)
Output: 1A @ 5VDC (USB-A1)
2.4A @ 5VDC (USB-A2)
- Main body available in Single Color or Heat Transfer Finish
- 4 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Adaptive Charging Output for maximum compatibility
- Auto On/Off Features for convenient usage and energy saving
- Supports most USB charging sources
- Ideal for long flights or anytime your device might run out of power



DYNA26/52/104

Part#P7-DYN-26

- Dimensions: 70mm (L) X 33mm (W) X 22mm (H)
94mm (L) X 43mm (W) X 22mm (H)
108mm (L) X 80mm (W) X 22mm (H)
- Available in 3350mAh, 6700mAh, 13400mAh 18650 Battery Cells.
- P7-DYN-26/52: Input: 1A @ 5VDC (Micro USB)
Output: 1A @ 5VDC (USB-A)
- P7-DYN-104: Input: Up to 2A @ 5VDC (Micro USB)
Output: 1A @ 5VDC (USB-A1)
2.4A @ 5VDC (USB-A2)

Part#P7-DYN-52

Part#P7-DYN-104

- 4 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Built-in Flashlight feature for emergency use
- Adaptive Charging Output for maximum compatibility
- Auto On/Off Features for convenient usage and energy saving
- Supports most USB charging sources
- Ideal for long flights or anytime your device might run out of power




COBRA100

Part# P7-LCOBRA(Apple)

Part# P7-MCOBRA(Android)

- Dimensions: 115mm (L) x 66mm (W) x 28mm (H)
- MFi-certified
- 10050mAh 18650 Li-ion Battery
- Input: Multi-voltage AC Input (100 - 240V/ 0.3A)
- Output: 1A @ 5VDC (USB-A)
2.1A @ 5VDC (Integrated Apple Lighting Cable or Micro USB Cable)
- 4 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Auto On/Off Features for convenient usage and energy saving
- Ideal for long flights or anytime your device might run out of power



SLIM40

Part# P7-LP40CX(Apple)

Part# P7-P40CX(Android)

- Dimensions: 120mm (L) x 66mm (W) x 10.5mm (H)
- MFi-certified
- 4000mAh Li-Polymer Battery
- Slim Compact Design
- Input: 1A @ 5VDC (Micro USB)
- Output: 1A @ 5VDC (USB-A)
1A @ 5VDC (Integrated Apple Lighting Cable or Micro USB Cable)
- Main body available in Single Color or Heat Transfer Finish
- 4 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Auto On/Off Features for convenient usage and energy saving
- Ideal for long flights or anytime your device might run out of power

Made for
iPod iPhone iPad



PORTABLE CHARGER30/52

Part# P7-LC30CX

Part# P7-LC52CX

- Dimensions: 98mm / 117mm (L) X 75mm (W) X 17.5mm (H)
- MFi-certified
- 3000mAh or 5,200mAh Li-Polymer Battery
- Sleek Portable Design
- Input: Up to 1.5A @ 5VDC (Micro USB)
- Output: 2.5A Total @ 5VDC (Apple Lightning Cable, Micro USB Cable, USB-A)
- 5 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Ideal for long flights or anytime your device might run out of power

Made for
iPod iPhone



CARTRIDGE26

Part# P7-PB26

- Dimensions: 72mm (L) X 33mm (W) X 22mm (H)
- MFi-certified
- 3350mAh 18650 Li-ion Battery
- Simple plug-in Dongle Design
- Input: 1A @ 5VDC (Micro USB)
- Output: 1A @ 5VDC (Apple Lightning Connector)
- 4 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for short-circuit and overcharge/discharge
- Supports most USB charging sources
- Ideal for anytime your device might run out of power.



DIGITRON52/52C

Part# P7-P52CD

Part# P7-MBP52CD


- Dimensions: 73.5mm (L) X 52mm (W) X 23.5mm (H)
70mm (L) X 51mm (W) X 22mm (H)
- 5200mAh 18650 Li-Ion Battery Cell
- Input: Micro USB with up to 2A @ 5V DC
- Output: Up to 2.1A @ 5VDC (USB-A)
- Main body available in Single Color or Heat Transfer Finish
- Stealth Mode Digital Display for Precise Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Auto On/Off Features for convenient usage and energy saving
- Supports most USB charging sources
- Ideal for long flights or anytime your device might run out of power



ATOMIC104

Part# P7-ATO104CX-B

- Dimensions: 89.5mm (L) X 44mm (W) X 44mm (H)
- 10400mAh 18650 Li-Ion Battery Cell
- Input: Up to 2A @ 5VDC (Micro USB)
- Output: 3.4A @ 5V DC Shared (USB-A1, USB-A2)
- Sleek Aluminum Body Design
- 4 LEDs for Battery Status with a Multifunction Button
- Built-in protection features for overheat, short-circuit and overcharge/discharge
- Adaptive Charging Output for maximum compatibility
- Auto On/Off Features for convenient usage and energy saving
- Supports most USB charging sources
- Ideal for long flights or anytime your device might run out of power



DISK

Part# P7-H6315

- Dimensions: DISK,98mm (D) x 14mm (T);
UFO,106mm (D) x 11mm (T) ;
- Type: Wireless Charging Pad
- Standard: Single Coil WPC Qi v1.2
- Input: 5VDC (Micro USB)
- Wireless Output: >5W
- Efficiency: >70%
- Safety: Foreign Object Detection & Thermal Shutdown Function
- Smart Feature: Smart LED Notification
- Wireless Charging Distance: 5 - 8mm

UFO

Part# P7-H6303

STAGE4

Part# P7-STG4

- Dimension: 136mm (L) X 74mm (W) X 30mm (H)
- Type: Charging Hub with Wireless Charger
- Input: Multi-voltage AC (100 - 240V)
- Output: 6.8A Max @ 5VDC
- USB-A x 3, USB-C, Integrated USB-C & Micro USB Cable
- Wireless Output: Single Coil WPC Qi v1.2, 5W
- Efficiency: >70%
- Safety: Foreign Object Detection & Thermal Shutdown Function
- Smart Feature: Smart LED Notification
- Wireless Charging Distance: 5 - 8mm



HUBC-HR2

Part# P7-X6226-HUB

- Dimensions: 109mm (L) X 46mm (W) X 13mm (H)
- Supports USB 3.1 Gen 1, Backward compatible with USB standard devices
- Supports USB-C Charging
- Supports USB OTG for Android devices
- Optional USB PD support up to 100W (PD optional)
- Supports Macbook, Smart phone and Pad with TYPE-C Port
- Supports SD/SDHC/XDHC memory card up to 2TB
- Supports HDMI 2.0 and DP1.2HDMI-enabled TV or display in up to 1080p at 60Hz or UHD (3840x2160) at 30Hz
- Supports simultaneous connection to USB3.0 hard drive and mouse or Keyboard



CYLINDRICAL C

Part# P7-TC31-MLT-H3U

- Dimensions: 48mm (L) X 31mm (W) X 18mm (H)
48mm (L) X 33.5mm (W) X 20mm (H)
48mm (L) X 34mm (W) X 20.5mm (H)
- Supports USB 3.1 Gen 1, Backward compatible with USB standard devices
- Supports LAN 10/100/1000 (Selected Model Only)
- Supports SD/SDHC/XDHC memory card up to 2TB.
- Supports HDMI 1.4A and DP 1.2, HDMI enabled TV or Display up to 1080P at 60Hz or UHD (3840X2160) at 30Hz (version 2)
- 3 Ports USB Hub, 2 x USB 3.0, 1 x USB-C, Total output of 1.2A @ 5V (Selected Model Only)
- Supports DC In at 20V/3A (6 Port Model Only)
- Optional USB-C PD Charging up to 60W
- Supports USB OTG for Android Devices
- Supports Apple Macbook, Smartphones and Pad with USB-C Port
- Supports simultaneous connection to external USB 3.0 HDD, mouse and keyboard
- Support Windows 10, Mac OS 10.6 and above, Free installation Drivers
- AV output need devices' USB-C port to support DP
- Compatible with Apple MacBook, Microsoft Lumia 950XL, Google Chromebook Pixel, Dell XPS 12/13, HuaWei Matebook, HP Elite X2/X3, Lenovo Notebook

Product specifications subject to change without notice. Product images may not look identical to the actual products.



RECTANGLE C

Part# P7-TC31-CAM-BK

- Dimensions: 48mm (L) X 27mm (W) X 15mm (H)
122mm (L) X 30mm (W) X 20mm (H)
138mm (L) X 30mm (W) X 20mm (H)
- Supports USB 3.1 Gen 1, Backward compatible with USB standard devices
- Supports LAN 10/100/1000 (Selected Model Only)
- Supports SD/SDHC/XDHC memory card up to 2TB
- Supports HDMI 1.4A and DP 1.2, HDMI enabled TV or Display up to 1080P at 60Hz or UHD (3840X2160) at 30Hz (version 2)
- 3 Ports USB Hub, 2 x USB 3.0, 1 x USB-C, Total output of 1.2A @ 5V (Selected Model Only)
- Supports DC In at 20V/3A (6 Port Model Only)
- Optional USB-C PD Charging up to 60W
- Supports USB OTG for Android Devices
- Supports Apple Macbook, Smartphones and Pad with USB-C Port
- Supports simultaneous connection to external USB 3.0 HDD, mouse and keyboard
- Support Windows 10, Mac OS 10.6 and above, Free installation Drivers
- AV output need devices' USB-C port to support DP
- Compatible with Apple MacBook, Microsoft Lumia 950XL, Google Chromebook Pixel, Dell XPS 12/13, HuaWei Matebook, HP Elite X2/X3, Lenovo Notebook

Product specifications subject to change without notice. Product images may not look identical to the actual products.



SMART C-DOCKING MAX

Part# P7-TC31-FOX-MAX

- Supports USB 3.1 Gen 1, Backward compatible with USB standard devices
- Supports LAN 10/100/1000
- Supports SD/SDHC/XDHC memory card up to 2TB
- Supports HDMI 1.4A and DP 1.2, HDMI enabled TV or Display up to 1080P at 60Hz or UHD (3840X2160) at 30Hz (version 2)
- Supports VGA 1920X1200 at 60Hz
- 3 Ports USB Hub, 2 x USB 3.0, 1 x USB-C, Total output of 1.2A @ 5V (Selected Model Only)
- Supports DC In at 20V/3A (6 Port Model Only)
- Optional USB-C PD Charging up to 60W
- Supports USB OTG for Android Devices
- Supports Apple Macbook, Smartphones and Pad with USB-C Port
- Supports simultaneous connection to external USB 3.0 HDD, mouse and keyboard
- Support Windows 10, Mac OS 10.6 and above, Free installation Drivers
- AV output need devices' USB-C port to support DP
- Compatible with Apple MacBook, Microsoft Lumia 950XL, Google Chromebook Pixel, Dell XPS 12/13, HuaWei Matebook, HP Elite X2/X3, Lenovo Notebook

SMART C-DOCKING PLUS

Part# P7-TC31-FOX-PLUS



SMART C-DOCKING MINI

Part# P7-TC31-FOX-MINI

- Dimensions: 67.3mm (L) X 22.5mm (W) X 124.6mm (H)
- Supports USB 3.1 Gen 1, Backward compatible with USB standard devices
- Supports LAN 10/100/1000
- Supports SD/SDHC/XDHC memory card up to 2TB
- Supports HDMI 1.4A and DP 1.2, HDMI enabled TV or Display up to 1080P at 60Hz or UHD (3840X2160 at 30Hz (version 2)
- 3 Ports USB Hub, 2 x USB 3.0, 1 x USB-C, Total output of 1.2A @ 5V
- Supports DC In
- Supports USB-C PD Charging up to 60W
- Supports USB OTG for Android Devices
- Supports Apple Macbook, Smartphones and Pad with USB-C Port
- Supports simultaneous connection to external USB 3.0 HDD, mouse and keyboard
- Support Windows 10, Mac OS 10.6 and above, Free installation Drivers
- AV output need devices' USB-C port to support DP
- Compatible with Apple MacBook, Microsoft Lumia 950XL, Google Chromebook Pixel, Dell XPS 12/13, HuaWei Matebook, HP Elite X2/X3, Lenovo Notebook



Product specifications subject to change without notice. Product images may not look identical to the actual products.



BEE MINI TYPE-C HUB

Part# P7-TC31-BEE

- Dimensions: 85mm (L) X 28mm (W) X 9mm (H)
- Supports USB 3.1 Gen 1, Backward compatible with USB standard devices
- 2 Ports USB Hub, 1 x USB 3.0, 1 x USB-C, Total output of 1.5A @ 5V
- Optional USB-C PD Charging
- Supports USB PD up to 60W
- Supports USB OTG for Android Devices
- Supports Apple Macbook, Smartphones and Pad with USB-C Port
- Supports simultaneous connection to external USB 3.0 HDD, mouse and keyboard
- Support Windows 10, Mac OS 10.6 and above, Free installation Drivers



ANT TINY TYPE-C HUB

Part# P7-TC31-ANT

Part# P7-TC31-AUT-PD

- Dimensions: 54mm (L) X 20mm (W) X 9mm (H)
57mm (L) X 25mm (W) X 13mm (H)
- Supports USB 3.1 Gen 1, Backward compatible with USB standard devices
- 2 Ports USB Hub, 1 x USB 3.0, 1 x USB-C, Total output of 1.5A @ 5V
- Optional USB-C PD Charging
- Supports USB PD up to 60W
- Supports USB OTG for Android Devices
- Supports Apple Macbook, Smartphones and Pad with USB-C Port
- Supports simultaneous connection to external USB 3.0 HDD, mouse and keyboard
- Support Windows 10, Mac OS 10.6 and above, Free installation Drivers



ENCLOSURE For 2.5" and 3.5" SSD/HDD



Designed for **SATA** hard drives



Supports **hot plug-and-play**



Available in **USB 3.1, USB 3.0, USB 2.0, eSATA, Firewire & USB Type-C** interface



NORM SSD ENCLOSURE

Part#:P7-NOR-SSD

- Dimensions: 90mm (L) X 53mm (W) X 9mm (H)
- USB3.0 Micro B or TYPE-C interface optional
- Support USB 3.1 Gen1 and Gen 2,data transmission rate Up to 10Gbps
- Support M.2 and MSATA interface SSD
- Support Windows 7/8/10, Mac OS 10.6 above



CAN SSD ENCLOSURE

Part#:P7-CAN-SSD

- Dimensions: 90mm (L) X 53mm (W) X 9mm (H)
- USB3.0 Micro B or TYPE-C interface optional
- Support USB 3.1 Gen1 and Gen 2,data transmission rate Up to 10Gbps
- Support M.2 and MSATA interface SSD
- Support Windows 7/8/10, Mac OS 10.6 above



COUGAR

2.5" USB3.1 HDD ENCLOSURE

Part# COU-S250U3.1

- Designed for 2.5" SATA HDD
- Compliant with USB3.1 Specification Revision 1.0, Backward compliant USB3.0/2.0/1.1, Support UASP
- USB bus rate up to 10Gbps
- Serial ATA bus rate up to 6Gbps, Support SATA II 3Gbps and 1.5Gbps
- Support SATA 2.5" HDD
- Power and R/W active LED
- Support USB Type-C connection and usb Hot Plug feature
- USB3.1 TYPE-C Connector and USB 3.1 TYPE-C to USB3.1 Standard-A Cable, Support USB type-C positive and negative inserts using
- Hardware: Any desktop or Notebook computer with an available USB3.1/USB3.0/USB2.0 port



ANGEL

2.5" USB3.1 HDD ENCLOSURE

Part# KIT-S250U3.1




TORPEDO

2.5" USB3.0 HDD ENCLOSURE

Part# TOR-S250U

- Supports Windows XP/Vista/Windows 7/Windows 8 and above, Mac OS 10.4 and above
- USB BUS POWER 900mA

USB3.1 TYPE-C





TAIWAN OFFICE

5F.-3, No.258, Liancheng Road, Zhonghe District, New Taipei City 235, Taiwan
Tel: 886.2.8227.1790 Fax: 886.2.8227.1026



CHINA SHENZHEN OFFICE

Building A , ZhangKen Industry Zone, Ming Zhi Town, Bao An District, Shenzhen, China
Tel: 86.755.8886.8949 Fax: 86.755.8179.8032



CHINA DONGGUAN FACTORY

No.28 Binjiang Blvd Shishuikou Village, Qiaotou Town, Dongguan City, Guang Dong Province ,China
Tel: 86.769.8929.7777 Fax: 86.769.8927.9777 sales@power7tech.com.cn



MFi 6.4 Contract Manufacturer

Connectors and Authentication IC are Apple proprietary components

NEW THINKING, NEW SOLUTION!



All trademarks or registered trademarks are property of their respective owners.
Specifications are subject to change without notice. Product images may not look identical to actual products.

www.power7tech.com