



**Shenzhen Company :**

3-A1,Building A,Qingchuangcheng,Pinkexiao zhen,Zhangkeng community,  
Minzhi Town,Longhua District,Shenzhen,Guangdong Province,China  
Tel: 86.755.8886.8949

**China Factory :**

No.28 Binjiang Blvd., Shishuikou Village,Qiaotou Town,Dongguan,Guang Dong Province  
Tel: 86.769.8929.7777

**Vietnam Factory :**

P-9, Trang Due Industrial Zone Belongs To Dinh Vu - Cat Hai Economic Zone, An Hoa  
Commune,An Duong District, Hai Phong City  
Tel: 84.225.3558.880

Web: [www.power7tech.com](http://www.power7tech.com)

# Power Products





**Dongguan Factory**



**Vietnam Factory**

## — COMPANY PROFILE

Power 7 Technology specializes in the innovative design and manufacturing of complex external storage solutions, mobile power devices, and peripheral solutions that are compatible with variety of computer and mobile iOS platforms. Our dedication to excellence in technology, innovation, design, quality, and customer service has led to our reputation on a global scale. We have over 30 years of OEM/ODM and Electronics Manufacturing Services (EMS) experience. As a trusted supplier and manufacturer, we created long-term partnerships with several world-class and local businesses that rely on our knowledge, expertise, and services.

## — COMPANY VISION

To design, manufacture, and deliver excellent products and solutions to our customers in a timely and superior manner. Accept projects that are within our skills, knowledge, expertise and focus on the ones in which we excel in to become the partner of choice.

## — COMPANY PHILOSOPHY

**Competitive Advantage:** Competitive advantages are established through significant investments in research and development. Three principles guide our engineering and production practices: QUALITY, QUALITY, and QUALITY. Quality serves as our strongest competitive advantage.

**Creative Innovation:** Knowledge, experience, and imagination work together to foster creativity in the development of featured products.

**Accountability Commitment:** Providing steadfast support for our products and services is at the core of our meticulous approach.



## B02 140W PD 3.1 Power Bank

- Battery Capacity/Type: 27,000mAh, 21700
- Number of Battery Cell: 6
- Input: USB-C1: PD 100W
- Output: USB-C1: PD 140W  
USB-C2: PD 60W  
USB-A1: QC 18W  
Total 140W Maximum Output
- Material: Plastic and Fabric
- Dimensions: 55mm X 50mm X 158mm







## C26 Magnetic Wireless Power Bank

- Battery Capacity/Type: 10,000mAh, Li-Polymer
- Number of Battery Cell: 2
- Input: USB-C: PD 18W
- Output: USB-C: PD 20W  
USB-A: QC 18W  
Magnetic Wireless: 5W, 7.5W, 15W  
iWatch Wireless: 5W  
Total 20W Maximum Output
- Material: Plastic
- Dimensions: 107mm X 68mm X 23.5mm





## A12 60W Wall Charger

- Gallium Nitride Technology
- Input: AC 100V-220V, 50/60Hz, Folding US Plug
- Output: USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A  
Total 60W Maximum Output
- Material: Plastic
- Dimensions: 87mm X 42mm X 12.5mm



## Wireless Charging Module

- Input: PD 20W
- Output: Wireless 15W Maximum  
Supports BPP, PPDE, MPP  
Total 15W Maximum Output
- Material: Metal and Plastic
- Dimensions: 58.56mm X 7.9mm



## C40 Magnetic Wireless Stand

- Input: USB-C: PD 35W
- Output: Magnetic Wireless: 5W, 7.5W, 15W MPP  
AirPod Wireless: 5W  
iWatch Wireless: 5W  
Total 35W Maximum Output
- Material: Metal and Plastic
- Dimensions: 135mm X 85mm X 129mm







### P83 Magnetic Wireless Power Bank

- Battery Capacity/Type: 5,000mAh, Li-Polymer
- Number of Battery Cell: 1
- Input: USB-C: 5V/2A
- Output: USB-C: 5V/3A  
Magnetic Wireless: 5W, 7.5W, 10W  
Total 10W Maximum Output
- Material: Plastic
- Dimensions: 93mm X 65.50mm X 15.80mm



### C06 Wireless Charger

- Input: USB-C PD 18W
- Output: Wireless: 5W, 7.5W, 10W  
Total 15W Maximum Output
- Material: Plastic and PU
- Dimensions: 90mm X 7.3mm

### C30 Magnetic Wireless Car Mount

- Input: USB-C: PD 20W
- Output: Wireless: 5W, 7.5W, 10W  
Total 15W Maximum Output
- Material: Plastic and PU
- Dimensions: 84mm X 64mm X 10mm (Body Only)



### C23 Magnetic Wireless Power Bank

- Battery Capacity/Type: 5,000mAh, Li-Polymer
- Number of Battery Cell: 1
- Input: USB-C: 5V/2A
- Output: USB-C: 5V/3A
  - Magnetic Wireless: 5W, 7.5W, 10W
  - Total 10W Maximum Output
- Material: Plastic
- Dimensions: 93mm X 62.5mm X 15.8mm



### A05 20W Wall Charger

- Input: AC 100V-220V, 50/60Hz
- Output: USB-C: 5V/3A, 9V/2.22A, 12V/1.66A
  - Supports PPS
  - Total 20W Maximum Output
- Material: Plastic
- Dimensions: 30mm X 30mm X 31mm

### A09 30W Wall Charger

- Input: AC 100V-220V, 50/60Hz
- Output: USB-C: 5V/3A, 9V/3A, 15V/2A, 20V/1.5A
  - Supports PPS
  - Total 30W Maximum Output
- Material: Plastic
- Dimensions: 30mm X 30mm X 31mm







### A13 30W Wall Charger

- Input: AC 100V-220V, 50/60Hz
- Output: USB-C: 5V/3A, 9V/3A, 15V/2A, 20V/1.5A  
USB-A: 5V/2A, 9V/2A, 12V/1.5A  
USB-C and USB-A Shared 5V/3A  
Total 30W Maximum Output
- Material: Plastic
- Dimensions: 49mm X 45mm X 28.5mm

### A02 65W Wall Charger

- Gallium Nitride Technology
- Input: AC 100V-220V, 50/60Hz
- Output: USB-C: 5V/3A, 9V/3A, 15V/3A, 20V/3.25A  
USB-A: 5V/2A, 9V/2A, 12V/1.5A  
USB-C and USB-A Shared 5V/3A  
Total 65W Maximum Output
- Material: Plastic
- Dimensions: 53mm X 53mm X 30mm



### A10 65W Wall Charger

- Gallium Nitride Technology
- Input: AC 100V-220V, 50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
USB-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
Both in use: USB-C1: 45W, USB-C2: 20W  
Total 65W Maximum Output
- Material: Plastic
- Dimensions: 68mm X 39mm X 32mm





## A03 100W Wall Charger

- Gallium Nitride Technology
- Input: AC 100V-220V, 50/60Hz
- Output: USB-C1: PD 100W  
USB-C2: PD 100W  
USB-A: QC 18W  
Total 100W Maximum Output
- Material: Plastic
- Dimensions: 70mm X 70mm X 33mm

## B01 PD 30W Power Bank

- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: USB-C: PD 20W
- Output: USB-C: PD 30W  
USB-A: QC 18W  
Both in use: USB-C: 18W, USB-A: 12A  
Total 30W Maximum Output
- Material: Plastic
- Dimensions: 82.4mm X 60.28mm X 25mm



## R01 6 Ports Desktop Charger

- Input: AC Cable: 100V-220V, 50/60Hz
- Output: USB-A1 (Black): 5V/2.4A  
USB-A2 (Red): 5V/2.4A  
USB-A3 (Green): 5V/2.4A  
USB-A4 (Green): 5V/2.4A  
USB-A5 (Orange): QC 18W  
USB-C: PD 24W  
Shared Output USB-A1-A4: 5V/7.2A  
Shared Output USB-A5, USB-C: 5V/4.8A  
Total 60W Maximum Output
- Material: Plastic
- Dimensions: 103mm X 75mm X 30mm

## A01 65W Wall Charger

- Gallium Nitride Technology
- Input: AC 100V-220V, 50/60Hz
- Output: USB-C: 5V/3A, 9V/3A, 12V/3A,  
15V/3A, 20V/3.25A  
Total 65W Maximum Output
- Material: Plastic
- Dimensions: 50mm X 50mm X 30mm





## B08 Power Bank

- Battery Capacity/Type: 10,000mAh, Li-Polymer
- Number of Battery Cell: 2
- Input: USB-C: 5V/2A
- Output: USB-C: 5V/2.4A  
USB-A: 5V/2.4A  
Total 12W Maximum Output
- Material: Plastic
- Dimensions: 95mm X 64mm X 24mm



## B07 Power Bank

- Battery Capacity/Type: 5,000mAh, Li-Polymer
- Number of Battery Cell: 1
- Input: USB-C: 5V/2A
- Output: USB-C: 5V/2.4A  
USB-A: 5V/2.4A  
Total 12W Maximum Output
- Material: Plastic
- Dimensions: 94mm X 65mm X 14mm



## B05 Power Bank

- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: USB-C: 5V/2A, 9V/2.2A, 12V/1.67A
- Output: USB-C: 5V/2A, 9V/2.2A, 12V/1.67A  
USB-A: 5V/3A, 9V/2A, 12V/1.67A  
Both in use: USB-C and USB-A: 5V/3.6A  
Total 20W Maximum Output
- Material: Plastic
- Dimensions: 78mm X 58mm X 25mm

## B06 Power Bank

- Battery Capacity/Type: 20,000mAh, 21700
- Number of Battery Cell: 4
- Input: USB-C: 5V/2A, 9V/3A, 15V/2A
- Output: USB-C: 5V/3A, 9V/3A, 15V/3A  
USB-A: 5V/3A, 9V/2A, 12V/1.5A  
Both in use: USB-C 45W and USB-A:15W  
Total 60W Maximum Output
- Material: Plastic
- Dimensions: 149mm X 58mm X 25mm





## B09 Power Bank

- Battery Capacity/Type: 20,000mAh, 21700
- Number of Battery Cell: 4
- Input: USB-C: 18W  
Micro USB: 18W
- Output: USB-C: PD 18W  
USB-A1: QC 18W  
USB-A2: QC 18W  
Total 18W Maximum Output
- Material: Plastic
- Dimensions: 148mm X 70mm X 25mm



## A07 60W with Power Bank

- Gallium Nitride Technology
- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: AC 100V-220V, 50/60Hz; USB-C: 5V/3A, 9V/2A
- Output: USB-C: PD 60W  
USB-A: QC 18W  
AC Mode: Total 60W Maximum Output
- Material: Plastic
- Dimensions: 132mm X 56mm X 32mm

